

**EU DECLARATION OF CONFORMITY**

no DZUE/03/20/EN

1. Product model: annex to the EU declaration of conformity: **DZUE/03/20/EN**
2. Name and address of the manufacturer:  
**Karlik Elektrotechnik Sp. z o.o.**  
**ul. Wrzesińska 29, 62-330 Nekla, Poland**
3. This declaration of conformity is issued under the sole responsibility of the manufacturer.
4. Object of the declaration:  
**Installation switches swing in American style, alternating current, flush-mounted, with or without illumination, with thread clamps, 10AX, 250V~, IP 20, series: DECO, ICON, MINI.**
5. The object of the declaration described is in conformity with the relevant Union harmonisation legislation:  
**DIRECTIVE 2014/35/EU OF THE EUROPEAN PARLIAMENT AND OF THE COUNCIL of 26 February 2014**  
**DIRECTIVE 2011/65/EU OF THE EUROPEAN PARLIAMENT AND OF THE COUNCIL of 8 June 2011**  
**COMMISSION DELEGATED DIRECTIVE (EU) 2015/863 of 31 March 2015**
6. Reference to the relevant standards used with the date of the norm or references to the other technical specifications in relation to which conformity is declared:  
**PN-EN 60669-1:2018-04 + AC:2020-04E** - Switches for household and similar fixed-electrical installations. Part 1: General requirements

PRESIDENT OF THE BOARD

  
**JERZY KARLIK**

Nekla, 21.02.2023

The manufacturer reserves the right to update the document in the case of changes to the requirements of the Union harmonization legislation and standards.

Karlik Elektrotechnik Sp. z o.o. | ul. Wrzesińska 29 | 62-330 Nekla | T: +48 61 437 34 00 | F: +48 61 437 34 04 | karlik@karlik.pl  
NIP: 7891451126 | REGON: 631086705 | KRS: 0000114252 | BDO: 000101390 | Sąd Rejonowy Poznań - Nowe Miasto i Wilda  
w Poznaniu IX Wydział Gospodarczy Krajowego Rejestru Sądowego | Kapitał zakładowy: 1 069 700,00 PLN (opłacony) | [www.karlik.pl](http://www.karlik.pl)

## ANNEX

TO THE EU DECLARATION OF CONFORMITY: **DZUE/03/20/EN**

### DECO SERIES

Symbol	Note
...DWPUS-1 + (...DR-x or ...DRSO-x or ...DRS-x or DRD-x... or ...DRG-x or ...DRB-x or ...DRA-x)	
...DWPUS-2 + (...DR-x or ...DRSO-x or ...DRS-x or DRD-x... or ...DRG-x or ...DRB-x or ...DRA-x)	
...DWPUS-3 + (...DR-x or ...DRSO-x or ...DRS-x or DRD-x... or ...DRG-x or ...DRB-x or ...DRA-x)	
...DWPUS-3.1 + (...DR-x or ...DRSO-x or ...DRS-x or DRD-x... or ...DRG-x or ...DRB-x or ...DRA-x)	
...DWPUS-4 + (...DR-x or ...DRSO-x or ...DRS-x or DRD-x... or ...DRG-x or ...DRB-x or ...DRA-x)	
...DWPUS-5 + (...DR-x or ...DRSO-x or ...DRS-x or DRD-x... or ...DRG-x or ...DRB-x or ...DRA-x)	
...DWPUS-6 + (...DR-x or ...DRSO-x or ...DRS-x or DRD-x... or ...DRG-x or ...DRB-x or ...DRA-x)	
...DWPUS-6.1 + (...DR-x or ...DRSO-x or ...DRS-x or DRD-x... or ...DRG-x or ...DRB-x or ...DRA-x)	
...DWPUS-33 + (...DR-x or ...DRSO-x or ...DRS-x or DRD-x... or ...DRG-x or ...DRB-x or ...DRA-x)	Light module can't be used
...DWPUS-33.1 + (...DR-x or ...DRSO-x or ...DRS-x or DRD-x... or ...DRG-x or ...DRB-x or ...DRA-x)	Light module can't be used
...DWPUS-8 + (...DR-x or ...DRSO-x or ...DRS-x or DRD-x... or ...DRG-x or ...DRB-x or ...DRA-x)	Light module can't be used
...DWPUS-8.1 + (...DR-x or ...DRSO-x or ...DRS-x or DRD-x... or ...DRG-x or ...DRB-x or ...DRA-x)	Light module can't be used
...DWPUS-88 + (...DR-x or ...DRSO-x or ...DRS-x or DRD-x... or ...DRG-x or ...DRB-x or ...DRA-x)	Light module can't be used
...DWPUS-88.1 + (...DR-x or ...DRSO-x or ...DRS-x or DRD-x... or ...DRG-x or ...DRB-x or ...DRA-x)	Light module can't be used
...DWPUS-9 + (...DR-x or ...DRSO-x or ...DRS-x or DRD-x... or ...DRG-x or ...DRB-x or ...DRA-x)	
...DWPUS-10.1 + (...DR-x or ...DRSO-x or ...DRS-x or DRD-x... or ...DRG-x or ...DRB-x or ...DRA-x)	
...DWPUS-10.11 + (...DR-x or ...DRSO-x or ...DRS-x or DRD-x... or ...DRG-x or ...DRB-x or ...DRA-x)	
...DWPUS-10.2 + (...DR-x or ...DRSO-x or ...DRS-x or DRD-x... or ...DRG-x or ...DRB-x or ...DRA-x)	Light module can't be used
...DWPUS-10.21 + (...DR-x or ...DRSO-x or ...DRS-x or DRD-x... or ...DRG-x or ...DRB-x or ...DRA-x)	Light module can't be used

...DWPUS-4.1 + (...DR-x or ...DRSO-x or ...DRS-x or DRD-x... or ...DRG-x or ...DRB-x or ...DRA-x)	
...DWPUS-44.1 + (...DR-x or ...DRSO-x or ...DRS-x or DRD-x... or ...DRG-x or ...DRB-x or ...DRA-x)	
...DWPUS-44.2 + (...DR-x or ...DRSO-x or ...DRS-x or DRD-x... or ...DRG-x or ...DRB-x or ...DRA-x)	

... – means the colour of the product

x – means the multiplicity of the frame design

The above products are also available in an illuminated, L-1 / L-2 backlight module have to be purchased for this purpose.

## ICON SERIES

Symbol	Note
...IWPUS-1 + (...IRSO-x or ...IRSZ-x or ...IRSK-x)	
...IWPUS-2 + (...IRSO-x or ...IRSZ-x or ...IRSK-x)	
...IWPUS-3 + (...IRSO-x or ...IRSZ-x or ...IRSK-x)	
...IWPUS-3.1 + (...IRSO-x or ...IRSZ-x or ...IRSK-x)	
...IWPUS-4 + (...IRSO-x or ...IRSZ-x or ...IRSK-x)	
...IWPUS-5 + (...IRSO-x or ...IRSZ-x or ...IRSK-x)	
...IWPUS-6 + (...IRSO-x or ...IRSZ-x or ...IRSK-x)	
...IWPUS-6.1 + (...IRSO-x or ...IRSZ-x or ...IRSK-x)	
...IWPUS-33 + (...IRSO-x or ...IRSZ-x or ...IRSK-x)	Light module can't be used
...IWPUS-33.1 + (...IRSO-x or ...IRSZ-x or ...IRSK-x)	Light module can't be used
...IWPUS-8 + (...IRSO-x or ...IRSZ-x or ...IRSK-x)	Light module can't be used
...IWPUS-8.1 + (...IRSO-x or ...IRSZ-x or ...IRSK-x)	Light module can't be used
...IWPUS-88 + (...IRSO-x or ...IRSZ-x or ...IRSK-x)	Light module can't be used
...IWPUS-88.1 + (...IRSO-x or ...IRSZ-x or ...IRSK-x)	Light module can't be used
...IWPUS-9 + (...IRSO-x or ...IRSZ-x or ...IRSK-x)	
...IWPUS-10.1 + (...IRSO-x or ...IRSZ-x or ...IRSK-x)	
...IWPUS-10.11 + (...IRSO-x or ...IRSZ-x or ...IRSK-x)	

...IWPUS-10.2 + (...IRSO-x or ...IRSZ-x or ...IRSK-x)	Light module can't be used
...IWPUS-10.21 + (...IRSO-x or ...IRSZ-x or ...IRSK-x)	Light module can't be used
...IWPUS-4.1 + (...IRSO-x or ...IRSZ-x or ...IRSK-x)	
...IWPUS-44.1 + (...IRSO-x or ...IRSZ-x or ...IRSK-x)	
...IWPUS-44.2 + (...IRSO-x or ...IRSZ-x or ...IRSK-x)	

... – means the colour of the product

x – means the multiplicity of the frame design

The above products are also available in an illuminated, L-1 / L-2 backlight module have to be purchased for this purpose.

## MINI SERIES

Symbol	Note
...MWPUS-1 + (...MR-x)	
...MWPUS-2 + (...MR-x)	
...MWPUS-3 + (...MR-x)	
...MWPUS-3.1 + (...MR-x)	
...MWPUS-4 + (...MR-x)	
...MWPUS-5 + (...MR-x)	
...MWPUS-6 + (...MR-x)	
...MWPUS-6.1 + (...MR-x)	
...MWPUS-33 + (...MR-x)	Light module can't be used
...MWPUS-33.1 + (...MR-x)	Light module can't be used
...MWPUS-8 + (...MR-x)	Light module can't be used
...MWPUS-8.1 + (...MR-x)	Light module can't be used
...MWPUS-88 + (...MR-x)	Light module can't be used
...MWPUS-88.1 + (...MR-x)	Light module can't be used
...MWPUS-9 + (...MR-x)	

...MWPUS-10.1 + (...MR-x)	
...MWPUS-10.11 + (...MR-x)	
...MWPUS-10.2 + (...MR-x)	Light module can't be used
...MWPUS-10.21 + (...MR-x)	Light module can't be used
...MWPUS-4.1 + (...MR-x)	
...MWPUS-44.1 + (...MR-x)	
...MWPUS-44.2 + (...MR-x)	

... – means the colour of the product

x – means the multiplicity of the frame design

The above products are also available in an illuminated, L-1 / L-2 backlight module have to be purchased for this purpose.